

DDIN[®]

BUILT FOR LINEMEN




PRODUCT
LINE CARD

POLE SETTING



TRANSMISSION POLE CANT HOOK

- Fiberglass or Metal Handles
- Rubber textured "V" face



HD PULLING EYES

- Anchor Size 1" - 2 1/4"
- **WLL:** 15,000 lbs.



PULLING EYE

- Adjusts from 1/2" to 1"
- **WLL:** 6,000 lbs.



ALUMINUM FRAMING STAND

- An easy and simple way of lifting poles for framing



MUD BUCKET

- Made from 11 gauge steel
- 1 Gallon Capacity

ADAPTERS & SOCKETS



7/16" HEX TO 1/2" SQUARE

- **Part #:** DNIA
- **Length:** 2-3/4"
- **Color:** Red



1/4" HEX TO 1/2" SQUARE

- **Part #:** DNIA1412
- **Length:** 2"
- **Color:** Yellow



1/4" HEX TO 3/8" SQUARE

- **Part #:** DNIA1438
- **Length:** 1-7/8"
- **Color:** Green



TRANSMISSION FLIP SOCKET

- 3 way deep sockets with openings on both ends
- Includes a hex to square adapter



DISTRIBUTION FLIP SOCKET

- 4 way deep sockets with openings on both ends
- Includes a hex to square adapter

SAGGING EQUIPMENT



CLIPPING HOOK

- Urethane Lined
- Proof tested
- **WLL:** 6,500 lbs.



HEAVY-DUTY CLIPPING HOOK

- **WLL:** 12,000 lbs.



VERTICAL BUNDLE CLIPPING HOOK

- 18" Conductor spacing
- **WLL:** 6,250 lbs.



SAG WATCH

- Accurately determine sag
- Water & shock resistant
- Anti-magnetic



SAG SCOPE

- "Double-Bubble" allows for horizontal and vertical alignment



SAGOMETER

- Range from -40°F to 160°F
- Calibrated and certified
- Includes padded storage case

PRE-SPLICE CUTTERS



PRE-SPLICE CUTTERS

- **In Kit:** Tool, Bushing Holder, Extra-Cutting Wheel, & Plastic Case



HEAVY-DUTY PRE-SPLICE CUTTERS

- **In Kit:** Tool, Bushing Holder, Extra-Cutting Wheel, Extra Axle, & Plastic Case



LARGE DIAMETER PRE-SPLICE CUTTERS

- **In Kit:** Tool, Bushing Holder, 2-Extra-Cutting Wheels, 2 Axles, & Plastic Case



TE, TD, TB & TC STYLE TRIMMER BUSHINGS

- Widest selection of Trimmer Bushings in the industry

STRINGING BLOCKS



CB-1 UNIVERSAL BLOCKS

- 7" Aluminum, Ductile Iron or Urethane lined sheaves available



CB-2 UNIVERSAL BLOCKS

- 7" Aluminum, Ductile Iron or Urethane lined sheaves available



CB-1 GROUNDED BLOCKS

- 7" Aluminum, Ductile Iron sheaves available



CB-2 GROUNDED BLOCKS

- 7" Aluminum, Ductile Iron sheaves available



UNIVERSAL HELICOPTER BLOCKS

- 7" Aluminum or Ductile Iron sheaves available
- Arm sold separately



STRINGING BLOCKS

- 12"- 42"
- Standard or Wide
- Urethane Lined sheaves



GROUNDED BLOCKS

- 12"- 42"
- Standard or Wide
- Roller keeps contact with conductor



HELICOPTER BLOCKS

- 7"- 42"
- Standard or Wide
- "Snap-Lock" fold away arm



GROUNDED HELICOPTER BLOCKS

- 16"- 42" Standard or Wide
- "Snap-Lock" fold away arm



RADIUS BLOCKS

- 3-Roller 22" varieties
- Aluminum, Ductile Iron or Lined sheaves available



RADIUS BLOCKS

- 5-Roller 24" varieties
- Aluminum, Ductile Iron or Lined sheaves available



Y-BALL CLEVIS

- Galvanized
- Curved retention bolt



BALL CLEVIS WITH CAPTIVE PIN

- Zinc plated
- Non-removable locking pin



BALL CLEVIS

- Galvanized
- Removable locking pin



SAFETY HOOK

- Spring-loaded latch
- For use with any CB style block



CROSSARM BRACKET

- For Universal Blocks
- Two 4-1/2" x 5-1/2" Styles
- One 6-1/4" x 7" Style



INSULATOR BRACKET

- For Universal Blocks
- Hex head and Hand-Wheel styles



UPLIFT/HOLD DOWN BLOCKS

- Two 7" Lined Sheaves
- High-strength Cast Iron frame
- **WLL:** 3,500 lbs.



UPLIFT BLOCK

- Two 7" Sheaves
- Urethane Lined, Ductile Iron or Aluminum sheaves
- Side gate locks closed



TANDEM BLOCKS

- 28" Standard width
- 28", 36", or 42" Wide
- (T2®/VR2®) Width



DDIN GROUND ATTACHMENTS

- Mounts directly to the axle of DDIN Stringing Blocks only



GROUND ATTACHMENT

- Converts any standard 12" to 36" stringing block with a socket eye into a grounded stringing block

TRAVELING GROUNDS



TRAVELING GROUNDS

- Steel or Aluminum rollers
- **Range:** 0.250" - 1.625"



HEAVY-DUTY TRAVELING GROUNDS

- Steel or Aluminum rollers
- **Range:** 0.75" - 2.00"



T2® TRAVELING GROUNDS

- Aluminum rollers
- **Range:** 4/0 - 556, & 795 - 1113



TORSION SPRING TRAVELING GROUNDS

- Aluminum rollers
- **Range:** 1.00" - 2.50"

RIGGING & LIFTING



NYLON HANDLINE BLOCK

- 3" Sheave
- Max rope diameter 5/8"
- **WLL:** 1,000 lbs.



ALUMINUM HANDLINE BLOCK

- 3" Sheave
- Max rope diameter 5/8"
- **WLL:** 1,000 lbs.



TOWER BLOCK

- 4" Sheave
- Max rope diameter 7/8"
- **WLL:** 2,500 lbs.



RIGGING BLOCK

- 6" Sheave
- Max rope diameter 1"
- **WLL:** 5,000 lbs.



RATED HANDLINE HOOKS

- With or without latch
- **WLL:** 1,000 lbs.



STANDARD HANDLINE HOOKS

- Steel or bronze



REEL LIFTERS

- Powder-coated finish
- **WLL:** 3,000 lbs. or 5,000 lbs.

FEATURED PRODUCTS



CLIPPING BLOCK

- Constructed with 5/8" Samson Rope
- **WLL:** 19,000 lbs.



TRI-CLAMP

- Multi-plane clamp that cradles bolts in accordance with NEMA spacing for moving hot jumpers



CONDUCTOR BRUSH

- "V" shape for easy cleaning
- Replacement brushes available



UNIVERSAL CONDUCTOR BRUSH

- "V" shape for easy cleaning
- Attaches to shotgun sticks

TRANSFORMER SLINGS

DDIN Proudly uses Samson Rope



OVERHEAD TRANSFORMER

- Adjustable from 24" to 48" in length
- Comes in 1/2", 5/8", & 3/4" rope sizes




SINGLE PHASE PADMOUNT

- 2 to 4 Fixed or adjustable legs
- Center leg for holding the lid open
- **WLL:** 2,500 lbs.



CAPACITOR BANK SLING

- 1/2" Rope
- **WLL:** 5,000 lbs.



THREE PHASE PADMOUNT

- 4 Fixed or adjustable legs
- **WLL:** 9,900 lbs. - 15,200 lbs.



HEAVY-DUTY THREE PHASE PADMOUNT

- 4 Fixed-length legs
- **WLL:** 15,700 lbs.



SUPER-DUTY THREE PHASE PADMOUNT

- 4 Fixed-length legs
- **WLL:** 20,000 lbs.



REEL LIFTING SLING

- **Leg Length:** 6'
- **WLL:** 7,000 lbs. @ 60°

COMPRESSION DIES



**12 TON
COMPRESSION DIES**



**60 TON
COMPRESSION DIES**



**100 TON
COMPRESSION DIES**



IN-LINE GAUGE


- PSI/Bar: 0 to 15,000/0 to 690



**60 TON
COMPRESSION DIE CASE**



**100 TON
COMPRESSION DIE CASE**



View the full product range of compression dies and trimmer bushings at **DDIN.NET**

Contact us to manufacture the exact size bushing your job requires!

HEAVY DUTY STORAGE & ACCESSORIES



STEEL WIRE BASKETS

- Collapsible & stackable
- Wide range of sizes



**WIRE BASKET
SUPPORT ARM**

- Steel wire basket support arm
- **Length:** 52"



PLASTIC END CAP HOOK

- Attaches to the end of a 2x4 to support hot arms in a steel wire basket



MESH BAGS

- Available in 4 sizes
- Ranging from XS (6" x 10") to L (12" x 30")




T-HANDLE ADAPTER

- Converts the shotgun eye of a ground clamp into a T-Handle



LOCKBACK KNIFE

- 2-1/2" Drop point knife
- All-metal handle
- **Colors:** Blue, Black, Camo



HEAT SHRINK

- Ideal for Groundsets and Jumpersets



**2-WAY
BLANKET BUTTONS**

- Secure eyelet-style insulating blankets



**MAGNETIC
BLANKET BUTTONS**

- For hard-to-cover areas



**HIGH-VISIBILITY
GROUND FLAGS**

- Standard
- **Color:** Green or Orange



**WIND-RESISTANT
GROUND FLAGS**

- Heavy-duty strap
- Wind slits



SCREW GROUND ROD

- 6' Copper clad ground rod
- T-Handle



GROUND ROD DRIVER

- 33" Long body
- 29" Stroke



BLANKET CLAMPS

- Standard or available with Shotgun Rings



**UNIVERSAL
DISCONNECT HEAD**

- For opening and closing switches



**UNIVERSAL
SHOTGUN ADAPTER**

- Converts shotgun stick end to a universal fitting



SLEEVE STRAPS

- 2-piece screw type, set of 4 sleeve buttons included



SLEEVE BUTTONS

- 2-piece screw type, set of 4
- **Color:** Orange



BUCKET HOOKS

- 2" or 3"
- Yellow Polymer



BLANKET HOOK

- Holds up to six rubber blankets
- Fits bucket lips up to 2 1/2"



BLANKET STRAPS

- Available in 14" or 30"